



MT-2000A Product Training

By GPS Designer Intl. CORP.

www.secugis.net

Objectives

- i MT-2000A/PT-2000 product spec and feature introduction
- i MT-2000A/PT-2000A function Demo

MT Series 2000 Product Introduction



MT Series 2000A



Main Features

Features	MT-2000A
Outgoing call	Limited/Unlimited dials
LCM display	Yes
SMS	Yes
One-Way Communication	Yes
Longitude/Altitude Short Message Return	GPRS/SMS
SOS buttons	Yes
GEO FENCE	Yes, choose range in MMI (50/100/500/1000M)
GPS signal strength display	Yes
Applications	Personal tracking Mobile workers management Emergency Aid GSM phone

Features-2

- i GPS tracking function to fast locate the phone user
- i Smart Parental Control features
- i Enable or disable features on the phone whenever needed
- i Quite Mode setup during class hours
- i Simplified master keypad for convenience
- i Pre-setup Emergency dials
- i Pre-setup Guardian dials
- i Optional SIM lock
- i Speakerphone
- i GSM Tri-Band 900/1800/1900

Specifications

<u>Function</u>	<u>Specification</u>
Band module	GSM 900/1800/1900 MHZ
Power consumption	6 ~16mA
Power consumption in use	65mA, Max 160mA
GPS Sensitivity	minus 155 dbm
Temperature	-20 ~ 65 degrees centigrade
Dimensions	97.5 mm x 44 mm x 26 mm
Weight	70g +/- 5g
Battery	3.7V/600mAH, Li-ion
Charger	Input: 100 ~240V
	Output: 5.5V 500mA
Call duration	About 60 minutes
Standby time	About 50 hours
SAR Value	Below 1.2 w/kg

Your Choice of Business Models

- i Combo A
 - | MT-2000A+ any mobile phone+ A Website for Location Checking
- i Combo B (One-on-One)
 - | MT-2000A +MT-2000A AP (S/W) + PDA Phone
- i Combo C (large-member-base)
 - | MT-2000A+TSSR (Web Base System Server)
- i Combo D (small business account)
 - | MT-2000A+ TSWS (Single PC Work Station)

Combo A



SMS command






Longitude/Altitude

(example: 120N, 22E)

MT-2000A



Use PC / 2G /3G mobile phone to get on-line



Combo B

PDA Phone



SMS command



Longitude/Altitude



Needs to install Win CE
S/W and Map data


MT-2000A





Combo C



Use PC / 2G / 3G mobile phone to get on-line



Web Server



SMS Options


1. One channel GSM Modem
2. Multi-channel GSM Modem
3. Third-party SMS gateway

SMS command



Longitude/Altitude

Combo D



SMS Options


1. One Channel GSM Modem
2. Multi-Channel GSM Modem
3. Third-party SMS gateway

SMS

command



Longitude/
Altitude



Work Station



Thank you!!